§ 184.1560

suite 700, Washington, DC 20408. An additional specification requires the iodine number to be 4 or less.

- (3) The ingredient is used as an emulsifier as defined in §170.3(o)(8) of this chapter in shortenings for cake mixes. The use level of the ingredient is limited by good manufacturing practice (GMP) to the minimum amount required to produce the intended effect. Current good manufacturing practices result in a maximum level, as served, of 4 percent of the shortening or 0.5 percent of the total weight of the cake mix.
- (c) Low erucic acid rapeseed oil. (1) Low erucic acid rapeseed oil, also known as canola oil, is the fully refined, bleached, and deodorized edible oil obtained from certain varieties of Brassica Napus or B. Campestris of the family Cruciferae. The plant varieties are those producing oil-bearing seeds with a low erucic acid content. Chemically, low erucic acid rapeseed oil is a mixture of triglycerides, composed of both saturated and unsaturated fatty acids, with an erucic acid content of no more than 2 percent of the component fatty acids.
- (2) Low erucic acid rapeseed oil as defined in paragraph (c)(1) of this section may be partially hydrogenated to reduce the proportion of unsaturated fatty acids. When the partially hydrogenated low erucic acid rapeseed oil is hydrogenated low erucic acid rapeseed oil.
- (3) In addition to limiting the content of erucic acid to a level not exceeding 2 percent of the component fatty acids, FDA is developing other food-grade specifications for low erucic acid rapeseed oil and partially hydrogenated low erucic acid rapeseed oil rooperation with the National Academy of Sciences. In the interim, the ingredients must be of a purity suitable for their intended use.
- (4) Low erucic acid rapeseed oil and partially hydrogenated low erucic acid rapeseed oil are used as edible fats and oils in food, except in infant formula, at levels not to exceed current good manufacturing practice.

[42 FR 48336, Sept. 23, 1977, as amended at 49 FR 5613, Feb. 14, 1984; 50 FR 3755, Jan. 28, 1985; 53 FR 52682, Dec. 29, 1988]

§ 184.1560 Ox bile extract.

- (a) Ox bile extract (CAS Reg. No. 8008-63-7), also known as purified oxgall or sodium choleate, is a yellowish green, soft solid, with a partly sweet, partly bitter, disagreeable taste. It is the purified portion of the bile of an ox obtained by evaporating the alcohol extract of concentrated bile.
- (b) Food-grade ox bile extract shall meet the specifications of the U.S. Pharmacopeia (USP), XIV, 1950, p. 410. ¹
- (c) The ingredient is used as a surfactant as defined in §170.3 (o)(29) of this chapter.
- (d) The ingredient is used in food in accordance with \$184.1(b)(1) at levels not to exceed good manufacturing practice. Current good manufacturing practice results in a maximum level, as served, of 0.002 percent for cheese as defined in \$170.3(n)(5) of this chapter.
- (e) Prior sanctions for this ingredient different from the uses established in this section do not exist or have been waived.

[43 FR 36064, Aug. 15, 1978. Redesignated and amended at 50 FR 49537, Dec. 3, 1985]

§184.1563 Ozone.

- (a) Ozone $(O_3, CAS Reg. No. 10028-15-6)$ is an unstable blue gas with a pungent, characteristic odor, which occurs freely in nature, It is produced commercially by passing electrical discharges or ionizing radiation through air or oxygen.
- (b) The ingredient must be of a purity suitable for its intended use in accordance with \$170.30(h)(1) of this chapter.
- (c) In accordance with \$184.1(b)(2), the ingredient is used to treat food only within the following specific limitations:

¹Copies may be obtained from: U.S. Pharmacopeial Convention, Inc., 12601 Twinbrook Parkway, Rockville, MD 20852.